

## PRESS RELEASE

### Long-term memory and lack of mental images

Bonn researchers find connection between autobiographical memory and aphantasia

**Bonn, February 27 - When people lack visual imagination, this is known as aphantasia. Researchers from the University Hospital Bonn (UKB), the University of Bonn and the German Center for Neurodegenerative Diseases (DZNE) investigated how the lack of mental imagery affects long-term memory. They were able to show that changes in two important brain regions, the hippocampus and the occipital lobe, as well as their interaction, have an influence on the impaired recall of personal memories in aphantasia. The study results, which advance the understanding of autobiographical memory, have now been published online by the specialist journal "eLife".**

Most of us find it easy to remember personal moments from our own lives. These memories are usually linked to vivid inner images. People who are unable to create mental images, or only very weak ones, are referred to as aphantasics. Previous neuroscientific studies have shown that the hippocampus, in particular, which acts as the brain's buffer during memory formation, supports both autobiographical memory and visual imagination. However, the relationship between the two cognitive functions has not yet been clarified: "Can you remember specific events in your life without generating inner images? We investigated this question and, in collaboration with the Institute of Psychology at the University of Bonn, studied the autobiographical memory of people with and without visual imagination," says corresponding author Dr. Cornelia McCormick from the Department of Neurodegenerative Diseases and Geriatric Psychiatry, who also conducts research at the DZNE and the University of Bonn.

### Recall of memories is dependent on the generation of mental images

The Bonn team led by McCormick investigated the question of whether the hippocampus - in particular its connection, or connectivity, to other brain regions - is altered in people with aphantasia and examined the brain activities and structures associated with deficits in autobiographical memory in aphantasia. The study involved 14 people with aphantasia and 16 control subjects. The extent of aphantasia and the respective autobiographical memory were initially determined using questionnaires and interviews. "We found that people with aphantasia have more difficulty recalling memories. Not only do they report fewer details, but their narratives are less vivid and their confidence in their own memory is diminished. This suggests that our ability to remember our personal biography is closely linked to our imagination," says co-first author Merlin Monzel, a doctoral student at the Institute of Psychology at the University of Bonn. The study participants then recalled autobiographical events while images of their brains were recorded using functional magnetic resonance imaging (fMRI). "This showed that the hippocampus, which plays an important role in recalling vivid, detailed autobiographical memories, is less activated in people with

### Medical Director and Chairman of the Management Board

Prof. Dr. med. Dr. h.c. mult.  
Wolfgang Holzgreve, MBA

Tel: +49 228 -28710900  
Fax: +49 228 -2879010900  
wolfgang.holzgreve@ukbonn.de

### Communication and media

Viola Röser  
Management

Tel: +49 228 287-10469  
viola.roeser@ukbonn.de

Bonn University Hospital  
Communication and media  
Venusberg Campus 1  
Build 02  
53127 Bonn

Ihr Weg zu uns  
auf dem UKB-Gelände:



CDJ2JW

aphantasia," says co-first author and PhD student Pitshaporn Leelaarporn, who works at the UKB and the DZNE. There were also differences in the interaction between the hippocampus and the visual cortex, which is responsible for processing and integrating visual information in the brain and is located in the occipital lobe. "The connectivity between the hippocampus and the visual cortex correlated with the imagination in people without aphantasia, whereas there was no correlation in those affected," explains Leelaarporn.

"Overall, we have been able to show that autobiographical memory does not work as well in people who have limited visual imagination as it does in people who can visualize something very easily. These results raise further questions that we are currently investigating," says McCormick. On the one hand, it is now important to find out whether people who are blind from birth and have never been able to build up a repertoire of inner images can remember detailed autobiographical events. On the other hand, the Bonn researchers want to investigate whether this ability can be trained. "It may even be possible to help people who suffer from memory disorders, such as Alzheimer's disease, by offering training in visual imagination instead of the usual memory training," says McCormick.

**Funding:** German Research Foundation (MC 244/3-1), DZNE Foundation (DZNE Foundation-Research for a Life without Dementia, Parkinson's & ALS)


**Publication:** Merlin Monzel, Pitshaporn Leelaarporn, Teresa Lutz, Johannes Schultz, Sascha Brunheim, Martin Reuter and Cornelia McCormick; Hippocampal-occipital connectivity reflects autobiographical memory deficits in aphantasia; eLife; DOI: <https://doi.org/10.7554/eLife.94916.1>

**Scientific contact:**

Dr. Cornelia McCormick  
Clinic for Neurodegenerative Diseases and Geriatric Psychiatry  
Bonn University Hospital  
Research Group Leader DZNE & University of Bonn  
Phone: (+49) 228 287-16377  
E-Mail: [Cornelia.McCormick@ukbonn.de](mailto:Cornelia.McCormick@ukbonn.de)

Merlin Monzel  
Doctoral student at the Institute of Psychology; University of Bonn  
E-Mail: [monzel@uni-bonn.de](mailto:monzel@uni-bonn.de)

**Image material:**



**Caption: Long-term memory and lack of mental images**

Research Group Leader Dr. Cornelia McCormick, Merlin Monzel und Pitshaporn Leelaarporn find connection between autobiographical memory and aphantasia.

**Picture credits:** University Hospital Bonn / Rolf Müller

**Press contact:**

Dr. Inka Väth

Deputy Press Officer at the University Hospital Bonn (UKB)

Communications and Media Office at Bonn University Hospital

Phone: (+49) 228 287-10596

E-mail: [inka.vaeth@ukbonn.de](mailto:inka.vaeth@ukbonn.de)

**About University Hospital Bonn:** The UKB treats around 500,000 patients per year, employs around 9,000 staff and has total assets of 1.6 billion euros. In addition to the 3,500 medical and dental students, 550 people are trained in numerous healthcare professions each year. The UKB is ranked first among university hospitals (UK) in NRW in the science ranking and in the Focus clinic list and has the third highest case mix index (case severity) in Germany. In 2022 and 2023, the F.A.Z. Institute recognized the UKB as the most desirable employer and training champion among public hospitals in Germany.